ELSEVIER

Talanta 61 (2003) 919–924

Talanta

www.elsevier.com/locate/talanta

Volume Contents

Volume 61 (2003)

No. 1 **30 September 2003**

Foreword
J.-M. Kauffmann (Brussels, Belgium) 1

Review
Nitric oxide measurements in biological samples
Z.H. Taha (Tampa, FL, USA) 3

Regular papers
Electrochemical detection of nitric oxide using polymer modified electrodes
A. Ciszewski and G. Milczarek (Poznan, Poland) 11
Phthalocyanines and related complexes as electrocatalysts for the detection of nitric oxide
T. Nyokong and S. Vilakazi (Grahamstown, South Africa) 27
Electrochemical determination of nitric oxide and of its derivatives
C.A. Palmerini, G. Arienti and R. Palombari (Perugia, Italy) 37
Pyrrole functionalised metalloporphyrins as electrocatalysts for the oxidation of nitric oxide
N. Diab, J. Oni, A. Schulte, I. Radtke, A. Blöchl and W. Schuhmann (Bochum, Germany) 43
Electrochemical sensing of nitric oxide for biological systems: methodological approach and new insights in examining interfering compounds
A. Brunet, A. Pailleret, M.A. Devynck, J. Devynck and F. Bedioui (Paris, France) 53
Modified electrode approaches for nitric oxide sensing
E. Casero, J. Losada, F. Pariente and E. Lorenzo (Madrid, Spain) 61

Calendar of forthcoming meetings N1

No. 2 **17 October 2003**

Publisher's note 71

Regular papers
A biosensor based on urate oxidase–peroxidase coupled enzyme system for uric acid determination in urine
E. Akyilmaz, M.K. Sezgintürk and E. Dinçkaya (Bornova-Izmir, Turkey) 73
Single vessel procedure for acid vapor partial digestion of bovine liver in a focused microwave: multielement determination by ICP-OES
L.C. Trevizan, A.R.A. Nogueira and J.A. Nóbrega (São Carlos, Brazil) 81
Detection of phenolic compounds by thick film sensors based on *Pseudomonas putida*
S. Timur, N. Pazarlioğlu (Izmir, Turkey), R. Pilloton (Rome, Italy) and A. Telefoncu (Izmir, Turkey) 87
Ion chromatographic determination of some organic acids, chloride and phosphate in coffee and tea
A. Alcázar, P.L. Fernández-Cáceres, M.J. Martín, F. Pablos and A.G. González (Seville, Spain) 95

Study of interactions between DNA-ethidium bromide (EB) and DNA-acridine orange (AO), in solution, using hanging mercury drop electrode (HMDE)
I.C. Gherghi, S.T. Girousi, A.N. Voulgaropoulos and R. Tzimou-Tsitouridou (Thessaloniki, Greece) 103
Development of a catalase based biosensor for alcohol determination in beer samples
E. Akyilmaz and E. Dinçkaya (Bornova-İzmir, Turkey) 113
GFAAS determination of selenium after separation with thiol cotton in lichens and plants: the importance of adding a mineral matrix before decomposition
L. Marin, J. Lhomme and J. Carignan (Vandœuvre-lès-Nancy, France) 119
Field measurement comparison of aerosol metals using aerosol beam focused laser-induced plasma spectrometer and reference methods
M.-D. Cheng (Oak Ridge, TN, USA) 127
Quantitative determination of (−)-epicatechin in cider apple juices by ^{1}H NMR
I. Berregi, J.I. Santos, G. del Campo and J.I. Miranda (Donostia-San Sebastián, Spain) 139
Voltammetric investigation of Tamsulosin
S.A. Özkan, B. Uslu (Ankara, Turkey) and H.Y. Aboul-Enein (Riyadh, Saudi Arabia) 147
Determination of NH_3 gas by combination of nanosized $LaCoO_3$ converter with chemiluminescence detector
J. Shi, R. Yan, Y. Zhu and X. Zhang (Beijing, China) 157
Spectrophotometric determination of molybdenum based on charge transfer complexes sensitized by copper(II)
J. Di and T. Yang (Suzhou, China) 165
Solid-phase iodine as an oxidant in flow injection analysis: determination of ascorbic acid in pharmaceuticals and foods by background correction
M. Noroozifar and M. Khorasani-Motlagh (Zahedan, Iran) 173
Quantitative parameters for the sequestering capacity of polyacrylates towards alkaline earth metal ions
C. De Stefano (Messina, Italy), A. Gianguzza, D. Piazzese (Palermo, Italy) and S. Sammartano (Messina, Italy) 181
Investigations into the catalytic activity of rhodium(III) in red–ox reactions by capillary zone electrophoresis
S.S. Aleksenko, A.P. Gumenyuk, S.P. Mushtakova, L.F. Kozhina (Saratov, Russia) and A.R. Timerbaev (Moscow, Russia) 195
Flow-injection spectrophotometry of vanadium by catalysis of the bromate oxidation of *N,N′*-bis(2-hydroxyl-3-sulfopropyl)-tolidine
S. Nakano, E. Tanaka and Y. Mizutani (Tottori, Japan) 203
Anodic stripping voltammetry of sulphide at a nickel film: towards the development of a reagentless sensor
D. Giovanelli, N.S. Lawrence, S.J. Wilkins (Oxford, UK), L. Jiang, T.G.J. Jones (Cambridge, UK) and R.G. Compton (Oxford, UK) 211
A sequential injection spectrophotometric method for the determination of penicillamine in pharmaceutical products by complexation with iron(III) in acidic media
F.E.O. Suliman, H.A.J. Al-Lawati, S.M.Z. Al-Kindy (Al-Khod, Oman), I.E.M. Nour (Muscat, Oman) and S.B. Salama (Al-Khod, Oman) 221
Simultaneous determination of cloramphenicol, salicylic acid and resorcinol by capillary zone electrophoresis and its application to pharmaceutical dosage forms
M.R. Gomez, R.A. Olsina, L.D. Martínez and M.F. Silva (San Luis, Argentina) 233

Short communication
Differential electrolytic potentiometric titration method for the determination of ciprofloxacin in drug formulations
A.M. Abulkibash, S.M. Sultan (Dhahran, Saudi Arabia), A.M. Al-Olyan and S.M. Al-Ghannam (Dammam, Saudi Arabia) 239

No. 3 **4 November 2003**

Regular papers
Electrochemistry and electrocatalysis of binuclear cobalt phthalocyaninehexasulfonate–surfactant film modified electrode
X.-E. Jiang, L.-P. Guo and X.-G. Du (Changchun, People's Republic of China) 247
Evaluation and validation of commercially available enzyme-linked immunosorbent assays (ELISAs) specific for atrazine, chlorpyrifos, and diazinon in aqueous phase
K.E. Banks and S. Hernandez (Denton, TX, USA) 257
Arsenite oxidation and arsenate determination by the molybdene blue method
V. Lenoble, V. Deluchat, B. Serpaud and J.-C. Bollinger (Limoges, France) 267

Bis (trans-cinnamaldehyde) ethylene diimine dibromonickel (II) complex as a neutral carrier for salicylate-selective liquid membrane and coated graphite sensors
M.R. Ganjali, R. kiani-Anbouhi, M.R. Pourjavid and M. Salavati-Niasari (Tehran, Kashan, Iran) 277
Prediction of protein secondary structure based on continuous wavelet transform
J. Qiu, R. Liang (Guangzhou, Pingxiang, China), X. Zou and J. Mo (Guangzhou, China) 285
Application of Doehlert designs for optimisation of an on-line preconcentration system for copper determination by flame atomic absorption spectrometry
S.L.C. Ferreira, M.A. Bezerra, W.N.L. dos Santos (Bahia, Brazil) and B.B. Neto (Pernambuco, Brazil) 295
A new cation-exchange method for accurate field speciation of hexavalent chromium
J.W. Ball and R.B. McCleskey (Boulder, CO, USA) 305
X-ray fluorescence determination of As, Bi, Co, Cu, Fe, Ni, Pb, Se, V and Zn in natural water and soil extracts after preconcentration of their pyrrolidinedithiocarbamates on cellulose filters
V.P. Gordeeva, M.A. Statkus, G.I. Tsysin and Y.A. Zolotov (Moscow, Russia) 315
Coulometric generation of hydrogen ions by oxidation of mercury in methyl ethyl ketone, methyl isobutyl ketone and cyclohexanone
R.P. Mihajlović, V.M. Joksimović and L.V. Mihajlović 331
Optimization of the electrodeposition of copper on poly-1-naphthylamine for the amperometric detection of carbohydrates in HPLC
F. D'Eramo, J.M. Marioli, A.H. Arévalo and L.E. Sereno (Rio Cuarto, Argentina) 341
Optimum phase-behavior formulation of surfactant/oil/water systems for the determination of chromium in heavy crude oil and in bitumen-in-water emulsion
J.L. Burguera, R.M. Avila-Gómez, M. Burguera, R. Antón de Salager, J.-L. Salager, C.L. Bracho, M. Burguera-Pascu, C. Burguera-Pascu, R. Brunetto, M. Gallignani and Y. Petit de Peña (Mérida, Venezuela) 353
Amperometric uric acid sensors based on polyelectrolyte multilayer films
T. Hoshi, H. Saiki and J.-i. Anzai (Sendai, Japan) 363
Qualitative analysis of trace constituents by ion mobility increment spectrometer
I.A. Buryakov (Novosibirsk, Russia) 369
Extraction of nitrofurantoin and its toxic metabolite from urine by supercritical fluids. Quantitation by high performance liquid chromatography with UV detection
V. Arancibia, M. Valderrama, A. Madariaga, M.C. Zúñiga and R. Segura (Santiago, Chile) 377
Analysis of selected pesticides and alkylphenols in human cord blood by gas chromatograph-mass spectrometer
B.L.L. Tan and M. Ali Mohd (Kuala Lumpur, Malaysia) 385
Synthesis and characterization of 7-deoxycholic amide backbone-based silver(I) ionophores
B.H. Kim, C.S. Lee, J.H. Shim, H.P. Hong, G.S. Cha, Y.M. Jun and H. Nam (Seoul, South Korea) 393
Flow-injection analysis of two fluoquinolones by the sensitizing effect of terbium(III) on chemiluminescence of the potassium permanganate–sodium sulfite system
L. Yi, H. Zhao, S. Chen, L. Jin, D. Zheng and Z. Wu (Beijing, China) 403
Adsorptive stripping voltammetric determination of 4-aminophenol at a single-wall carbon nanotubes film coated electrode
W. Huang, W. Hu (Enshi, China) and J. Song (Wuhan, China) 411

Calendar of forthcoming meetings N9

No. 4 **12 November 2003**

Regular papers
Investigation of the fundamental behavior of long-period grating sensors
J. Keith, S. Puckett and G.E. Pacey (Oxford, OH, USA) 417
A column system for the selective extraction of U(VI) and Th(IV) using a new chelating sorbent
D. Prabhakaran and M.S. Subramanian (Chennai, India) 423
Enhanced metal extractive behavior using dual mechanism bifunctional polymer: an effective metal chelatogen
D. Prabhakaran and M.S. Subramanian (Chennai, India) 431
Fluorimetric determination of hemoglobin using spiro form rhodamine B hydrazide in a micellar medium
X.-F. Yang (Xi'an, China), X.-Q. Guo (Xiamen, China) and H. Li (Xi'an, China) 439
A novel electrosynthesized polymer applied to molecular imprinting technology
J.-L. Gong, F.-C. Gong, G.-M. Zeng, G.-L. Shen and R.-Q. Yu (Changsha, China) 447
Bioaccumulation and determination of lead using treated-*Pennisetum*-modified carbon paste electrode
W. Ouangpipat (Bangkok, Thailand), T. Lelasattarathkul (Chiang Mai, Thailand), C. Dongduen (Patumthani, Thailand) and S. Liawruangrath (Chiang Mai, Thailand) 455

Determination of inorganic nickel compounds in the particulate matter of emissions and workplace air by selective sequential dissolutions
A. Profumo, G. Spini, L. Cucca and M. Pesavento (Pavia, Italy) 465
Amperometric sensors based on tyrosinase-modified screen-printed arrays
S. Sapelnikova, E. Dock, T. Ruzgas and J. Emnéus (Lund, Sweden) 473
Ozone treatment for mercury determination in white wines
J.L. Capelo, H.A. Pedro and A.M. Mota (Lisbon, Portugal) 485
An initial-rate potentiometric method for the determination of uric acid using a fluoride ion-selective electrode
F. Deyhimi and R. Salamat-Ahangari (Evin-Tehran, Iran) 493
Biosensors for phenol derivatives using biochemical signal amplification
S.E. Stanca (Oradea, Romania; Lausanne, Switzerland), I.C. Popescu and L. Oniciu (Cluj-Napoca, Romania) 501
Comparison of palladium–magnesium nitrate and ammonium dihydrogenphosphate modifiers for cadmium determination in honey samples by electrothermal atomic absorption spectrometry
J.C. Rodríguez García, J. Barciela García, C. Herrero Latorre, M. Freire Rodríguez, S. García Martín and R.M. Peña Crecente (Lugo, Spain) 509
Multivariate statistical study of simultaneously monitored cloud water, aerosol and rainwater data from different elevation levels in an alpine valley (Achenkirch, Tyrol, Austria)
V. Simeonov (Sofia, Bulgaria), M. Kalina (Vienna, Austria), S. Tsakovski (Sofia, Bulgaria) and H. Puxbaum (Vienna, Austria) 519
Evaluation of two commercial solid-phase microextraction fibres for the analysis of target aroma compounds in cooked beef meat
D. Machiels and L. Istasse (Liège, Belgium) 529
Homogeneous immunoassay of atrazine in water by terbium-entrapping liposomes as fluorescent markers
M.A. Bacigalupo, A. Ius, R. Longhi and G. Meroni (Milano, Italy) 539
Characterization and application of humic acid modified carbon electrodes
C.D. García and P.I. Ortiz (Córdoba, Argentina) 547
A tetra-coordinate nickel(II) complex as neutral carrier for nitrate-selective PVC membrane electrode
A.R. Asghari, M.K. Amini, H.R. Mansour (Isfahan, Iran) and M. Salavati-Niasari (Kashan, Iran) 557
Analysis of pigments from Roman wall paintings found in Vicenza
G.A. Mazzocchin, F. Agnoli (Venezia, Italy), S. Mazzocchin and I. Colpo (Padova, Italy) 565
Enhanced optical oxygen sensing using a newly synthesized ruthenium complex together with oxygen carriers
K. Ertekin, S. Kocak (Izmir, Turkey), M. Sabih Ozer, S. Aycan (Manisa, Turkey) and B. Cetinkaya (Izmir, Turkey) . 573

Calendar of forthcoming meetings N13

No. 5 **4 December 2003**

Regular papers
Stability indicating HPTLC determination of clopidogrel bisulphate as bulk drug and in pharmaceutical dosage form
H. Agrawal, N. Kaul, A.R. Paradkar and K.R. Mahadik (Pune, India) 581
Simultaneous capillary electrophoretic determination of Sb(III) and Bi(III) based on the complex-formation with a W(VI)–P(V) reagent
S. Himeno, I. Kitazumi, M. Takamoto (Kobe, Japan) and Y. Nakashima (Osaka, Japan) 591
The use of 2-2-thiazolylazo-*p*-cresol to minimize the interference of Ni and Cu for the bismuth determination in alloys by hydride generation atomic absorption spectrometry
I. Takase, A.S. Luna and R.C. de Campos (Rio de Janeiro, Brazil) 597
A study of bismuth-film electrodes for the detection of trace metals by anodic stripping voltammetry and their application to the determination of Pb and Zn in tapwater and human hair
G. Kefala, A. Economou, A. Voulgaropoulos and M. Sofoniou (Thessaloni, Greece) 603
The formation of sparingly soluble species of Ca^{2+} with carboxylic ligands: speciation and thermoanalysis
F. Crea (Messina, Italy), G. D'Ascenzo (Rome, Italy), A. De Robertis (Messina, Italy), S. Materazzi (Rome, Italy) and S. Sammartano (Messina, Italy) 611
Simultaneous determination of lead, nickel, tin and copper in aluminium-base alloys using slurry sampling by electrical discharge and multielement ETAAS
N. Carrión, A.M. Itriago, M.A. Alvarez and E. Eljuri (Caracas, Venezuela) 621

Bismuth determination in environmental samples by hydride generation–electrothermal atomic absorption spectrometry
C. Moscoso-Pérez, J. Moreda-Piñeiro, P. López-Mahía, S. Muniategui-Lorenzo, E. Fernández-Fernández and D. Prada-Rodríguez (Coruña, Spain) 633
Cathodic stripping voltammetry of trace Mn(II) at carbon film electrodes
O.M.S. Filipe and C.M.A. Brett (Coimbra, Portugal) 643
Chemiluminescence system for automatic determination of chemical oxygen demand using flow injection analysis
B. Li, Z. Zhang, J. Wang and C. Xu (Xi'an, China) 651
Miniature flow-injection analysis manifold created by micromilling
A. Rainelli, R. Stratz, K. Schweizer and P.C. Hauser (Basel, Switzerland) 659
Enantioselective high-performance liquid chromatographic method for the determination of baclofen in human plasma
M.M. Hefnawy and H.Y. Aboul-Enein (Riyadh, Saudi Arabia) 667
Synthesis and application of a functionalized resin in on-line system for copper preconcentration and determination in foods by flame atomic absorption spectrometry
V. Azevedo Lemos, P. Xavier Baliza, R. Terumi Yamaki, M. Eça Rocha and A.P. Oliveira Alves (Jequié, Brazil) . . . 675
Hydride generation atomic absorption spectrometry with different flow systems and in-atomizer trapping for determination of cadmium in water and urine—overview of existing data on cadmium vapour generation and evaluation of critical parameters
L. Lampugnani, C. Salvetti (Pisa, Italy) and D.L. Tsalev (Sofia, Bulgaria) 683
Reduction of mercury(II) by tropical river humic substances (Rio Negro)—Part II. Influence of structural features (molecular size, aromaticity, phenolic groups, organically bound sulfur)
J.C. Rocha (Araraquara, Brazil), E. Sargentini Jr (Manaus, Brazil), L.F. Zara (Brasília, Brazil), A.H. Rosa (Araraquara, Brazil), A. dos Santos (São Carlos, Brazil) and P. Burba (Dortmund, Germany) 699
Potassium ion-selective membrane electrodes based on 1,3-alternate calix[4]crown-5-azacrown-5
S. Kim, H. Kim (Seoul, South Korea), K.H. Noh, S.H. Lee, S.K. Kim (Nonsan, South Korea) and J.S. Kim (Seoul, South Korea). 709
Real-time measurement of nitric oxide using a bio-imaging and an electrochemical technique
Y. Kitamura (Yokohama, Japan), H. Ogawa (Saitama, Japan) and K. Oka (Yokohama, Japan) 717
Diffusion layer titration of dipyrone in pharmaceuticals at a dual-band electrochemical cell
T.R.L.C. Paixão (São Paulo, Brazil), R. Camargo Matos (Juiz de Fora, Brazil) and M. Bertotti (São Paulo, Brazil) . 725
pH effect on cysteine and cystine behaviour at hanging mercury drop electrode
B. Monterroso-Marco and B. López-Ruiz (Madrid, Spain) 733
Enhanced application of square wave voltammetry with glassy carbon electrode coupled to multivariate calibration tools for the determination of B_6 and B_{12} vitamins in pharmaceutical preparations
S.R. Hernández, G.G. Ribero and H.C. Goicoechea (Santa Fe, Argentina). 743

Announcement 755
Erratum 757
Calendar of forthcoming meetings N17

No. 6 **23 December 2003**

Regular papers
Cloud point formation based on mixed micelles in the presence of electrolytes for cobalt extraction and preconcentration
C.C. Nascentes and M.A.Z. Arruda (Campinas, Brazil) 759
A label-free electrochemical immunosensor based on gold nanoparticles for detection of paraoxon
S.-Q. Hu (Changsha, Zhuzhou, China), J.-W. Xie, Q.-H. Xu, K.-T. Rong (Beijing, China), G.-L. Shen and R.-Q. Yu (Changsha, China). 769
Lipid-soluble and water-soluble arsenic compounds in blubber of ringed seal (*Pusa hispida*)
K.-i. Ebisuda, T. Kunito, J. Fujihara, R. Kubota (Matsuyama, Japan), Y. Shibata (Tsukuba, Japan) and S. Tanabe (Matsuyama, Japan). 779
The determination of molybdenum in water and biological samples by graphite furnace atomic spectrometry after polyurethane foam column separation and preconcentration
S.L.C. Ferreira, H.C. dos Santos (Salvador, Brazil) and R.C. Campos (Rio de Janeiro, Brazil) 789
Spectrofluorimetric determination of total amount of nitrite and nitrate in biological sample with a new fluorescent probe 1,3,5,7-tetramethyl-8-(3′,4′-diaminophenyl)-difluoroboradiaza-s-indacence
J.-S. Li, H. Wang, X. Zhang and H.-S. Zhang (Wuhan, China) 797

Evaluation of gas chromatography–mass spectrometry in conjunction with chemometric resolution for identification of nitrogen compounds in crude oil
B.-Y. Li, Y.-Z. Liang, Y. Hu, Y.-P. Du, Y.-Q. Song and H. Cui (Changsha, China) 803
Concentration of heavy metal ions in water using thermoresponsive chelating polymer
T. Saitoh, F. Satoh and M. Hiraide (Nagoya, Japan) 811
Electrochemical study and detection of perphenazine using a gold electrode modified with decanethiol SAM
B. Zeng, Y. Yang, X. Ding and F. Zhao (Wuhan, China) 819
Cathodic adsorptive stripping voltammetric behaviour of guanine in the presence of copper at the static mercury drop electrode
P.A.M. Farias, A.L.R. Wagener, M.B.R. Bastos, A.T. Silva and A.A. Castro (Rio de Janeiro, Brazil) 829
Detection of metal ions using ion-channel sensor based on self-assembled monolayer of thioctic acid
R. Zugle, J. Kambo-Dorsa and V.P.Y. Gadzekpo (Cape Coast, Ghana) 837
Supercritical fluid extraction of mercury species
G.P. Foy (York, PA, USA) and G.E. Pacey (Oxford, OH, USA) 849
Study and analytical application of inhibitory effect of captopril on multienzyme redox system
Y. Chen and R. Cai (Wuhan, China) 855
A method based on stochastic resonance for the detection of weak analytical signal
X. Wu, W. Guo, W. Cai, X. Shao and Z. Pan (Hefei, China) 863
Specific determination of ferbam residues in fog-water
S. Agarwal (Jaipur, Raipur, India), S.G. Aggarwal (Raipur, India) and P. Singh (Jaipur, India) 871
Enhanced sensitivity and selectivity in the detection of polycyclic aromatic hydrocarbons using sequential simplex optimization, the addition of an organic modifier and wavelength programming
N. Kuppithayanant (Chiang Mai, Prathumthani, Thailand), M. Rayanakorn, S. Wongpornchai, T. Prapamontol (Chiang Mai, Thailand) and R.L. Deming (Fullerton, CA, USA) 879
Cellulose based macromolecular chelator having pyrocatechol as an anchored ligand: synthesis and applications as metal extractant prior to their determination by flame atomic absorption spectrometry
V. Gurnani, A.K. Singh (New Delhi, India) and B. Venkataramani (Mumbai, India) 889
On-line preconcentration of phosphate onto molybdate form anion exchange column
T. Taniai (Narashino, Japan), M. Sukegawa, A. Sakuragawa (Tokyo, Japan) and A. Uzawa (Narashino, Japan) . . . 905

Announcement
The Division of Analytical Chemistry of the Federation of European Chemical Societies European Analytical Column No. 31: (January 2003)
M. Valcárcel and E.-H. Korte 913

Instructions for Authors 917
Volume Contents 919
Author Index 925
Subject Index 929
Calendar of forthcoming meetings N21